# Estill County Schools Energy Management Package



September 2020









## Estill County Schools Energy Management Report September 2020


School Facility	September				2020 - 2021 YTD Results					
	2019 Actual Kwh	2020 Actual Kwh	% Reduction	Position	\$ Cost Change	2019-2020 Actual Kwh	2020-2021 Actual Kwh	% Reduction	Overall Position	YTD \$ Cost Change
ECHS	128,888	93,446	27.50%	4	-\$3,557	367,251	264,714	27.9%	3	-\$10,071
ECMS	94,800	69,920	26.24%	5	-\$2,497	259,360	223,200	13.9%	6	-\$3,552
West Irvine	72,320	57,440	20.58%	6	-\$1,493	181,760	162,400	10.7%	7	-\$1,901
Estill Springs	33,331	23,009	30.97%	3	-\$1,036	76,000	58,185	23.4%	5	-\$1,750
South Irvine P/K	33,383	31,668	5.14%	8	-\$172	94,404	98,468	-4.3%	9	\$399
Central Office	21,039	17,888	14.98%	7	-\$316	59,265	55,538	6.3%	8	-\$366
Bus Garage	0		100.00%	1	\$0	0		100.0%	1	\$0
Adult Education	947	587	38.01%	2	-\$36	2,421	1,827	24.5%	4	-\$58
Old High School	0		100.00%	1	\$0	0		100.0%	1	\$0
Total	384,708	293,958	23.59%		-\$9,108	1,040,461	864,332	16.9%		-\$17,299







## **Electrical Energy Cost Comparison to Last Year July 2020 - September 2020 \$ Cost Change**



Note: The Schools with the Lowest Bars are doing the Best Job in Reducing Costs







Project Description	Refunds/Rebates Received	Avoided Costs	Total Avoided Costs		
Rate Change Savings Prior Years		\$9,600	\$9,600		
Rate Change Savings Current Year		\$1,507	\$1,507		
Consumption Savings Prior Years		\$678,614	\$678,614		
Consumption Savings Current Year		-\$264	-\$264		
Energy Projects Prior Years	\$25,152		\$25,152		
Energy Projects Current Year			\$0		
Total	\$25,152	\$689,457	\$714,609		
Total Cost Avoided This Month		\$3,940			
Total Cumulative Savings	\$847,906				







### **Energy Star Portfolio Manager Ratings**

Facility Name	(1-100)	Rating (1-100)	Energy Use kbtu/sq ft	Energy Use kbtu/sq ft	Change From
	Sept-20	June-15	Sept-20	June-15	Baseline
<b>Estill County High School</b>	83	60	36.6	47.5	-22.9%
<b>Estill County Middle School</b>	83	57	27.9	39.0	-28.5%
West Irvine Elementary	84	61	29.8	39.5	-24.6%
<b>Estill Springs Elementary</b>	96	36	20.7	56.9	-63.6%
South Irvine P/K Center	73	22	45.9	83.5	-45.0%
Total	84	53	31.6	47.7	-33.8%







#### **Energy Star Portfolio Manager Ratings**

